This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

In the Claims

Please amend claim 1 as follows.

- 1. (CURRENTLY AMENDED) A composition cosmetic article comprising a cosmetic article containing a cosmetic composition which cosmetic composition contains in a dispensible form an aqueous dispersion of comprising at least one polyurethane-urea polymer that is functionalized with at least one hydrolyzed or hydrolyzable silyl group, wherein the composition is in the form of a cosmetic article or composition that is capable of forming a film when applied to mammalian skin, hair or nails, and when said cosmetic application is a hair care composition, said hair care composition does not have a reshapable effect.
- 2. (CURRENTLY AMENDED) The composition cosmetic article of claim 1, said composition comprising the reaction product of:
- (a) at least one isocyanate terminated polyurethane-urea prepolymer comprising the reaction product of (i) at least one polyisocyanate, and (ii) at least one polyol;
 - (b) at least one polyfunctional chain extender;
 - (c) at least one silyl containing component; and
 - (d) at least one hydrophilic component.
- 3. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said polyisocyanate is a diisocyanate.
- 4. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said polyol is a diol.
- 5. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said polyol has a number average molecular weight between about 200 and 5,000.

BEST AVAILABLE COPY



Application No.: 09/771,054 Case No.: 56147US002

6. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said chain extender is selected from the group consisting of water; ethylenediamine; 1,6-diaminohexane; piperazine; tris(2-aminoethyl)amine; amine terminated polyethers; adipic acid dihydrazide; oxalic acid dihydrazide; ethylene glycol; 1,4-butane diol; 1,8-octane diol; 1,2-ethanedithiol; 1,4-butanedithiol; 2,2'-oxytris(ethane thiol); di- and tri-mercaptopropionate esters of poly(oxyethylene) diols and triols; and mixtures thereof.

7. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said silyl containing component is selected from the group consisting of:

 $H_2NCH_2CH_2CH_2Si(OC_2H_5)_3$,

 $HN(CH_2CH_2CH_2Si(OC_2H_5)_3)_2$,

HSCH₂CH₂CH₂Si(OCH₃)₃,

 $HO(C_2H_4O)_3C_2H_4N(CH_3)(CH_2)_3Si(OC_4H_9)_{3,}\\$

 $H_2NCH_2C_6H_4CH_2CH_2Si(OCH_3)_3$,

HSCH2CH2CH2Si(OCOCH3)3,

H₂NCH₂CH₂CH₂Si(OCH₃)₃,

 CH_{3} \mid $H_{2}NCH_{2}CH_{2}CH_{2}Si(O-N=C)_{3},$ \mid $C_{2}H_{5}$

HN(CH₃)CH₂CH₂Si(OCH₃)_{3,}

HSCH₂CH₂CH₂SiCH₃(OCH₃)₂,

 $(HOC_2H_5)_2NC_3H_6Si(OCH_3)_3$

 $H_2NCH_2CH_2CH_2NHCH_2CH_2CH_2Si(OCH_3)_3$

OCNCH₂CH₂CH₂Si(OCH₃)₃, and mixtures thereof.

Case No.: 56147US002

8. (CURRENTLY AMENDED) The composition cosmetic article of claim 2, wherein said hydrophilic component is selected from the group consisting of (i) a compound containing an ionic group, (ii) a compound containing a moiety capable of forming an ionic group, or (iii) a nonionic water soluble group.

9. (CANCELLED - Amendment dated November 6, 2002) The composition of claim 8, wherein said hydrophilic component is a cationic compound having the following structure:

$$R^{1}-N^{+}(R^{2})[(CH_{2}CH_{2}O)_{n}H]_{2}X^{-}$$

wherein R^1 is C_1 to C_{18} alkyl or C_6 to C_{18} aryl or aralkyl optionally substituted in and/or on the chain by N,O, S and combinations thereof;

 R^2 is hydrogen or C_1 to C_{18} alkyl;

n is an integer from about 1 to 200; and

X is halogen, sulfate, methosulfate, ethosulfate, acetate, carbonate, or phosphate.

10. (CANCELLED - Amendment dated November 6, 2002) The composition of claim 8, wherein said hydrophilic component is a compound having the following structure:

$$\begin{array}{c|c}
 & O & O \\
 & O & C \\$$

wherein each R³ is independently a divalent aliphatic group having an average molecular weight of 200 to 600 comprising ether or ester functional groups selected from the group consisting of:

-CH(CH₃)CH₂-(OCH(CH₃)CH₂-)_n-,

-(CH₂)₄-(O(CH₂)₄)_n-,

-(CH2)mCO-[O(CH2)mCO]n- groups; and

4

mixtures thereof;

Case No.: 56147US002

where m is an integer from about 2 to 5;

n is an integer from about 2 to 15; and

M is a cation selected from the group consisting of Na, H, K, and Li, or a primary, secondary, tertiary, or quaternary ammonium cation and mixtures thereof.

- 11. (CURRENTLY AMENDED) The composition cosmetic article of claim 1 exhibiting self-adhesion properties when coated and dried to a film of about 0.025 millimeter in thickness.
- 12. (CURRENTLY AMENDED) The eomposition cosmetic article of claim 1 further comprising ingredients selected from the group consisting of emollients, humectants, other film forming polymers, propellants, pigments, dyes, buffers, organic suspending agents, inorganic suspending agents, organic thickening agents, inorganic thickening agents, waxes, surfactants, plasticizers, preservatives, flavoring agents, perfumes, sunscreen agents, insect repellents, vitamins, herbal extracts, skin bleaching agents, hair bleaching agents, skin coloring agents, hair coloring agents, antiperspirant agents, deodorant agents, depilating agents, antifungal agents, antimicrobial agents, antidandruff agents, antiacne agents, astringents, corn removers, callus removers, wart removers and combinations thereof.
- 13. (PREVIOUSLY ADDED) A composition in the form of an aqueous dispersion comprising at least one polyurethane-urea polymer that is functionalized with at least one hydrolyzed or hydrolyzable silyl group, wherein said composition is used in cosmetic application, and when said cosmetic application is a hair care composition, said hair care composition does not have a reshapable effect;

wherein said composition comprises the reaction product of:

Application No.: 09/771,054 Case No.: 56147US002

(a) at least one isocyanate terminated polyurethane-urea prepolymer comprising the reaction product of (i) at least one polyisocyanate, and (ii) at least one polyol;

- (b) at least one polyfunctional chain extender;
- (c) at least one silyl containing component; and
- (d) at least one hydrophilic component; and

wherein said hydrophilic component is a cationic compound having the following structure:

$R^{1}-N^{+}(R^{2})[(CH_{2}CH_{2}O)_{n}H]_{2}X^{-}$

wherein R^1 is C_1 to C_{18} alkyl or C_6 to C_{18} aryl or aralkyl optionally substituted in and/or on the chain by N,O, S and combinations thereof;

R² is hydrogen or C₁ to C₁₈ alkyl;

n is an integer from about 1 to 200; and

X is halogen, sulfate, methosulfate, ethosulfate, acetate, carbonate, or phosphate.

14. (PREVIOUSLY ADDED) A composition in the form of an aqueous dispersion comprising at least one polyurethane-urea polymer that is functionalized with at least one hydrolyzed or hydrolyzable silyl group, wherein said composition is used in cosmetic application, and when said cosmetic application is a hair care composition, said hair care composition does not have a reshapable effect;

wherein said composition comprises the reaction product of:

- (a) at least one isocyanate terminated polyurethane-urea prepolymer comprising the reaction product of (i) at least one polyisocyanate, and (ii) at least one polyol;
 - (b) at least one polyfunctional chain extender;
 - (c) at least one silyl containing component; and
 - (d) at least one hydrophilic component; and

Dist.

wherein said hydrophilic component is a compound having the following structure:

$$\begin{array}{c|c}
O & O & O \\
O & C & C & C
\end{array}$$

$$\begin{array}{c|c}
O & O & C & C
\end{array}$$

$$\begin{array}{c|c}
O & O & C & C
\end{array}$$

$$\begin{array}{c|c}
O & O & C
\end{array}$$

wherein each R³ is independently a divalent aliphatic group having an average molecular weight of 200 to 600 comprising ether or ester functional groups selected from the group consisting of:

$$-CH_2CH_2-(OCH_2CH_2-)_n-$$

-CH(CH₃)CH₂-(OCH(CH₃)CH₂-)
$$_n$$
-,

mixtures thereof;

where m is an integer from about 2 to 5;

n is an integer from about 2 to 15; and

M is a cation selected from the group consisting of Na, H, K, and Li, or a primary, secondary, tertiary, or quaternary ammonium cation and mixtures thereof.